

Catalogo **PRODOTTI**

2024



products catalogue

KEMIPOL®





Solventi e diluenti ad alte prestazioni

High-performance solvents and thinners



Kemipol with you, everywhere. With a network of more than **1500 clients** in Italy and abroad, **Kemipol** represents a reference point for the whole sector of chemical production.

Such extension has been achieved thanks to an extremely dynamic and involved sales network, capable of creating stable trade connections and infuse all its passion to the brand.

Also, due to a wide and precise distribution, **Kemipol is everywhere**, thus guaranteeing experience reliability, and safety without borders, because **Kemipol** is a living company, like an organism made of means, people, strategies, and projects in which all collaborators contributed to build great performances for 45 years.



KEMIPOL CON VOI, OVUNQUE.

Con una rete di oltre **1500 clienti** in Italia e all'estero **Kemipol** rappresenta un punto di riferimento per gli specialisti del settore.

Una capillarità raggiunta grazie a una rete vendita estremamente dinamica e coinvolta, capace di tessere relazioni commerciali stabili e infondere nel brand tutta la sua stessa passione. Inoltre, grazie a una distribuzione vasta e puntuale, **Kemipol è ovunque** garantendo esperienza, affidabilità e sicurezza senza confini.

Perché Kemipol è un'azienda viva come un organismo fatto di persone, strumenti, strategie e progetti in cui ogni collaboratore ha contribuito a costruire più di 45 anni di grandi prestazioni.



RICERCA E SVILUPPO POTERE ALL'INNOVAZIONE.

Kemipol è chimica e ispirazione, così l'innovazione diventa “solo” l'inizio.

Il reparto Ricerca e Sviluppo è un cuore pulsante, costantemente teso all'innovazione continua. Qui nascono nuove linee e prodotti sempre più performanti, e sempre più **green**. Il futuro di Kemipol si tinge di verde, grazie all'impegno profuso per sviluppare una linea ecologica basata sulle prerogative di **sostenibilità e rispetto per l'ambiente**.

Una vision che si traduce in considerevoli investimenti, perché credere nella ricerca significa coltivare il know-how necessario per essere reattivi ai cambiamenti e competitivi dinanzi alle sfide del mercato.



Kemipol is chemistry and inspiration, so innovation becomes “only” the beginning.

The Research and Development department is a beating heart, constantly striving for continuous innovation. Here are born new lines and products that are more and more performing, and more and more **green**. The future of Kemipol is tinged with green, thanks to the efforts made to develop an ecological line based on the prerogatives of **sustainability** and **respect for the environment**.

A vision that translates into considerable investments, because believing in research means cultivating the know-how necessary to be reactive to changes and competitive in the face of market challenges.







Indice/index

Catalogo **PRODOTTI**

products catalogue

► Linea Green 10

► Linea Kemipol 12

► Linea Specialkem 46

► Linea Sirkem 52

► Linea Kemiclean 54

► Linea Motip 56

► Industria e Private label 57

KEMIPOL®

Linea GREEN



NEW LINEA GREEN



Conf. Lt. 1 • 5 • 25 • 200

Pz. Conf. 20 x 1 - 4 x 5

Green Thinner - Diluente Universale

universal nitro cleaner thinner

Rivoluzionario **diluente ecologico** a base vegetale perfetto sia come diluente polivalente che come solvente per la pulizia dei pennelli. Il Green Thinner di ultima generazione risponde alle attuali esigenze in materia di sicurezza, risultando completamente atossico sia nell'applicazione che per l'ambiente.

It is a revolutionary eco-friendly and vegetable-based thinner, perfect for multi-purpose or for cleaning brushes. The last generation Green Thinner responds to the current safety needs, as it is non-toxic in both application and environment.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DGTUK0001	Pz	1Lt	20	600	
DGTUK0005	Pz	5Lt	4	144	
DGTUK0025	Pz	25Lt	1	33	

Acetone Ecologico

ecological acetone

Di nuova generazione e interamente green, l'Acetone Ecologico è una valida alternativa all'acetone tradizionale in tutte le sue applicazioni. Agisce come solvente per vernici e lacche, adesivi, resine cellulosiche, acriliche e non solo. L'uso non provoca sonnolenza e non irita.

New generation and entirely green, ecological acetone is a valid alternative to traditional acetone in all its applications. Acts as a solvent for paints and lacquers, adhesives, cellulosic resins, acrylics and more. The use does not cause drowsiness and does not irritate.



Conf. Lt. 1 • 5

Pz. Conf. 20 x 1 • 4 x 5

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DAECK0001	Pz	1Lt	20	600	
DAECK0005	Pz	5Lt	4	160	

Linea **KEMIPOL**



Diluente Nitro FREE

FREE Nitro Thinner

Il Diluente Nitro FREE è formulato a base di materie prime selezionate per il loro basso impatto ambientale ed è ideale per chi cerca un prodotto efficace e al tempo stesso rispettoso dell'ambiente e della salute. È impiegato nella diluizione di fondi e finiture lucide e opache al nitro. Inoltre, è caratterizzato da forte potere solvente e utilizzato tal quale nel lavaggio di pennelli, pistole e aerografi.

FREE Nitro Thinner is formulated from raw materials selected for their low environmental impact and is ideal for those looking for a product that is both effective and environmentally and health friendly. It is used in the dilution of nitro-based gloss and matt primers and finishes. In addition, it is characterised by strong solvent power and used as such in the washing of brushes, guns and airbrushes.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DNFK0001	Pz	1Lt	20	600	8024435141581
DNFK0005	Pz	5Lt	4	160	8024435140942
DNFK0025	Pz	25Lt	1	33	8024435140959



In compliance with the directive
2004/42/CE (COV) 2006
conforme alla direttiva
2004/42/CE (COV) 2006

Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5 • 1 x 25

Hydro Thinner

Hydro Thinner

L'Hydro Thinner è l'evoluzione tecnologica dei solventi. È un detergente liquido alcalino a base acquosa, ad elevato potere sgrassante, idoneo per il lavaggio e lo sgrassaggio di attrezzi sporchi di vernice, pavimentazioni e superfici dure in genere nell'industria e nel cleaning professionale. Agisce efficacemente anche su superfici soggette a sporcamenti di natura molto grassa di origine animale, vegetale e minerale.

Hydro Thinner is the technological evolution of solvents. It is a water-based alkaline liquid detergent with high degreasing power, suitable for washing and degreasing paint-stained equipment, floors and hard surfaces in general in industry and professional cleaning. It also acts effectively on surfaces subject to soiling of a very greasy nature of animal, vegetable and mineral origin.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DHYT0001	Pz	1Lt	20	600	8024435139779
DHYT0005	Pz	5Lt	4	160	8024435141598
DHYT0025	Pz	25Lt	1	33	8024435139762

In compliance with the directive
2004/42/CE (COV) 2006
conforme alla direttiva
2004/42/CE (COV) 2006



Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5 • 1 x 25



Conf. Lt. 0,5 • 1 • 5 • 25 • 200 • 1000

Pz. Conf. 20 x 0,5 • 20 x 1 • 4 x 5

Diluente Nitro Antinebbia High Performance

high performance anti-fog nitro thinner

Una tecnologia innovativa dalle prestazioni elevate. Grazie alla sua composizione il Diluente Nitro High Performance assicura un grande potere antinebbia e una perfetta adesione delle vernici ai supporti in ogni condizione atmosferica. Un prodotto particolarmente indicato per la diluizione di fondi e finiture sia lucide che opache alla nitro e nitrosintetiche.

This product offers an innovative technology and high performance. Thanks to its components, the High Performance Anti-Fog Nitro Thinner ensures a great anti-fog action and a perfect paint adherence to supports in any weather conditions. It is specifically recommended for primer thinning, as well as glossy and matte nitro and nitrosynthetic finishings.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DNPNK0000	Pz	0,5Lt	20	1000	
DNPNK0001	Pz	1Lt	20	600	
DNPNK0005	Pz	5Lt	4	144	
DNPNK0025	Pz	25Lt	1	33	

Diluente Nitro Antinebbia

anti-fog nitro thinner

Un prodotto dalla formulazione bilanciata capace di esaltare sia la morbidezza che la brillantezza delle vernici. Idoneo per la diluizione di fondi e finiture alla nitro e nitrosintetiche. Per via del suo potere solvente il Diluente Nitro Antinebbia si rivela particolarmente adatto anche per la pulizia, il lavaggio e lo sgrassaggio di aerografi e altri attrezzi da lavoro.

This is a product with a balanced formula, which can intensify both paint smoothness and gloss. Suitable for primer thinning and for nitro and nitrosynthetic finishings. Thanks to its cleaning action, the product Nitro Thinner is also particularly suitable for cleaning, washing, and degreasing airbrushes and other work tools.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DNAEK0001	Pz	1Lt	20	600	
DNAEK0005	Pz	5Lt	4	144	
DNAEK0020	Pz	20Lt	1	33	
DNAEK0025	Pz	25Lt	1	33	

Conf. Lt. 1 • 5 • 20 • 25 • 200 • 1000

Pz. Conf. 20 x 1 • 4 x 5

Diluente Nitro ONE

ONE anti-fog nitro thinner

Il Nitro ONE è adatto alle vernici nitro, fondi nitro, vernici antivegetative e sintetiche a rapida essiccazione. Contribuisce a rendere estremamente precisa la distensione della vernice e ne accentua la brillantezza. Il prodotto può essere utilizzato per la pulizia di superfici, pennelli, aerografi e per il lavaggio di componenti meccaniche.

Nitro ONE thinner is suitable for nitro paints, nitro primer paints, anti-fouling and fast-dry synthetic paints. It allows an optimal application and an optimal gloss to the paint. It is suitable for cleaning surfaces, brushes, and airbrushes, as well as for washing mechanical components.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DNOK0020	Pz	20Lt	1	33	 8 024435 137225
DNOK0025	Pz	25Lt	1	33	 8 024435 137232



compliance with the directive
2004/42/CE (COV) 2006
in accordance with the directive
conforme alla direttiva
2004/42/CE (COV) 2006

Conf. Lt. 20 • 25 • 200 • 1000

Diluente Polivalente Professional

professional thinner

Una formula universale per la diluizione di fondi e di finiture sia lucide che opache. Un prodotto adatto per una vasta gamma di vernici come quelle alla nitro, nitrosintetiche, sintetiche, acriliche ed epossidiche. Estremamente versatile e semplice da utilizzare, il Diluente Professional si rivela efficace anche nella pulizia e nel lavaggio degli attrezzi da lavoro.

A universal formula utilized for primer thinning, as well as glossy and matte finishings. A product suitable for a wide range of paints, such as nitro, nitrosynthetic, synthetic, acrylic, and epoxy paints. It is extremely versatile and easy to use, as this professional thinner can be also utilised for cleaning and washing all work tools.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DPROK0001	Pz	1Lt	20	600	 8 024435 100045
DPROK0005	Pz	5Lt	4	144	 8 024435 100021
DPROK0025	Pz	25Lt	1	33	 8 024435 107846



compliance with the directive
2004/42/CE (COV) 2006
in accordance with the directive
conforme alla direttiva
2004/42/CE (COV) 2006

Conf. Lt. 1 • 5 • 25 • 200 • 1000

Pz. Conf. 20 x 1 • 4 x 5

Diluente Acrílico Slow

acrylic thinner - slow



Conf. Lt. 1 • 5 • 25

Pz. conf. 20 x 1 • 4 x 5

Adatto alla diluizione di smalti a base di resine acriliche, il Diluente Acrílico Slow garantisce una perfetta applicazione su basi opache, pastelli e metallizzati. L'accuratezza della formula a evaporazione lenta consente alla vernice di mostrare tutta la sua brillantezza. È idoneo all'essiccazione in forno e non teme temperatura e umidità elevate.

The Acrylic Thinner is suitable for thinning acrylic resin-based enamels and allows an optimal application on matte, pastel, and metal surfaces. Its slow-evaporation formula accuracy intensifies a unique gloss of paints. The product is suitable for furnace drying and for usage at high temperature and humidity conditions.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DASLK0001	Pz	1Lt	20	600	
DASLK0005	Pz	5Lt	4	144	
DASLK0025	Pz	25Lt	1	33	

Diluente Acrílico Standard

acrylic thinner - standard



Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5

Diluente a evaporazione controllata concepito per la diluizione di smalti a base di resine acriliche. Ideale per applicazioni su basi opache, pastelli e metallizzati; idoneo all'essiccazione in forno e all'utilizzo in condizioni atmosferiche di temperatura e umidità elevate. Facilita la distensione della vernice e la pulizia degli strumenti da lavoro.

Controlled evaporation acrylic thinner. Designed for thinning acrylic resin-based enamels. It allows an optimal application on matte, pastel, and metal surfaces. Product suitable for furnace drying and for usage at high temperature and humidity. Easy application of paints. Suitable for removing paint residues from work tools.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DASTK0001	Pz	1Lt	20	600	
DASTK0005	Pz	5Lt	4	144	
DASTK0025	Pz	25Lt	1	33	

Diluente Acrilico Fast

acrylic thinner - fast

In condizioni di basse temperature atmosferiche è l'ideale per diluire vernici composte da resine acriliche. Permette una distensione ottimale dei prodotti vernicianti minimizzando la formazione di nebbie di verniciatura. Grazie al suo elevato potere solvente può essere utilizzato anche per la pulizia di aerografi, pennelli e attrezzi sporchi di vernice.

The acrylic thinner Fast is suitable for thinning acrylic resin paints at low temperature conditions. It allows an optimal application of painting products, while reducing painting fog. Thanks to its high cleaning efficacy, it can also be utilised to clean airbrushes, brushes and paint-stained tools.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DAFAK0001	Pz	1Lt	20	600	
DAFAK0005	Pz	5Lt	4	144	
DAFAK0025	Pz	25Lt	1	33	



Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5

Antisilicone

antisilicon

Solvente ad azione sgrassante e selettiva utilizzato per asportare da superfici metalliche, vetro, parti in plastica e gomma residui di silicone non solidificato. L'Antisilicone è un prodotto concepito per una perfetta preparazione dei supporti ed è indicato anche per la rimozione di cere e oli.

Powerfully degreasing and selecting cleaner, suitable for removing non-solidified silicon, wax and oil residues from metal, plastic, rubber, and glass surfaces. Antisilicon has been designed for a perfect preparation of supports and is also suitable for wax and oil removal.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DASIK0001	Pz	1Lt	20	600	
DASIK0005	Pz	5Lt	4	144	
DASIK0025	Pz	25Lt	1	33	



Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5

Hydro Wash

Hydro Wash



Conf. Lt. 1 • 5 • 25

Pz. Conf. 12 x 1 • 4 x 5

Hydro Wash è l'evoluzione tecnologica dei solventi. Un prodotto a base acquosa di qualità per il lavaggio degli impianti di verniciatura, che agli odori contenuti unisce importanti proprietà come l'estrema rapidità di essiccazione e l'emissione di sostanze nocive ridotte al minimo. Per una massima sicurezza d'impiego, per il rispetto dell'ambiente.

Hydro Wash is the technological evolution of cleaners. It is a quality water-based product used for cleaning painting machinery with a mild odour which combines important features such as an extremely fast essication and a minimal harmful substances emission. It ensures maximum safety and it is environmentally friendly.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DHWA0001	Pz	1Lt	12	600	 8 024435 105330
DHWA0005	Pz	5Lt	4	128	 8 024435 105347

Hydro Sil

Hydro Sil



Conf. Lt. 1 • 5

Pz. Conf. 12 x 1 • 4 x 5

Solvente a base acquosa dall'azione sgrassante e dall'elevato potere antisiliconico. La formula altamente performante di Hydro Sil è l'ideale per sgrassare superfici metalliche, plastiche, in gomma e vetri da siliconi non solidificati e cere.

This product is a water-based degreasing cleaner with a high antisilicon action. Its incredibly powerful performance is suitable for degreasing metal, plastic, rubber, and glass surfaces from non-solidified silicon and wax.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DHDSK0001	Pz	1Lt	12	600	 8 024435 105309
DHDSK0005	Pz	5Lt	4	128	 8 024435 105347

Body Block Antirombo

sound-deadener body block

Contro colpi e corrosioni, un protettivo plastico per fascioni, paraurti e sottoscocca. Il Body Antirombo unisce alla grande forza adesiva la rapidità di essiccazione. Un prodotto efficace anche come isolante acustico, che consente alle superfici trattate di essere vernicate con qualunque tipo di smalto o vernice.

Against hits and corrosions, it is a protective plastic coating for rands, bumpers, and underbodies combining a great adhesive power with fast drying. It is also effective as an acoustic insulator and it allows the treated surfaces to be painted with any kind of enamel or paint.

codice code	colore color	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RANTR0001	nero/black	Pz	0,750Lt	12	480	
codice code	colore color	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RANTR0002	grigio/grey	Pz	0,750Lt	12	480	
codice code	colore color	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RANTR0003	bianco/white	Pz	0,750Lt	12	480	



Conf. Lt. 0,750

Pz. Conf. 12 x 0,750





Conf. Lt. 0,5 • 1 • 5 • 25 • 200 • 1000

Pz. conf. 20 x 0,5 • 20 x 1 • 4 x 5

Diluente Sintetico

synthetic thinner

Specifico per smalti sintetici, oleosintetici, antiruggini e fondi sintetici. Un potere solvente superiore alla normale acquaregia e un'evaporazione più rapida fanno del Diluente Sintetico un prodotto particolarmente indicato anche per pulire pennelli, rulli e attrezzi dopo la verniciatura. Inoltre conferisce alla vernice la giusta distensione e maggiore luminosità.

It is specific for synthetic enamels, oil-based synthetic products, antirust, and synthetic primers. Its enhanced cleaning action compared to regular white spirits, as well as a faster evaporating action, makes this synthetic thinner also ideal for cleaning brushes, rollers, and tools. Finally, it allows the right application to the paint and makes it particularly glossy.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSINK0000	Pz	0,5Lt	20	1000	
DSINK0001	Pz	1Lt	20	600	
DSINK0005	Pz	5Lt	4	144	
DSINK0025	Pz	25Lt	1	33	



Conf. Lt. 1 • 5 • 25

Pz. Conf. 20 x 1 • 4 x 5 • 1 x 25

Diluente Sintetico Extra

extra synthetic thinner

Il Diluente Sintetico Extra universale è formulato con materie prime selezionate e caratterizzato da una curva di evaporazione di media velocità. È ideale per la diluizione di fondi, finiture e vernici sintetiche. Grazie al forte potere solvente è adatto alla pulizia di qualsiasi superficie, mentre la proprietà sgrassante lo rende un ottimo alleato nella pulizia di pistole, pennelli ed utensili sporchi di vernice.

The Extra Universal Synthetic Thinner is formulated with selected raw materials and characterized by a medium speed evaporation curve. It is ideal for diluting synthetic primers, finishes and paints. Thanks to its strong solvent power, it is suitable for cleaning any surface, while its degreasing property makes it an excellent ally in cleaning guns, brushes, and tools soiled with paint.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSINK0011	Pz	1Lt	20	600	
DSINK0015	Pz	5Lt	4	160	
DSINK0025	Pz	25Lt	1	33	

Acquaragia Inodore

odourless white spirit

Un prodotto specifico per la diluizione di smalti e antiruggini sintetici, oleosintetici, vernici flatting e pitture ad olio in genere. Per la capacità di conferire un'elevata dilatazione alle vernici ne favorisce la resa e ne facilita l'applicazione. L'impiego dell'Acquaragia Inodore è ideale negli ambienti chiusi dove è preferibile evitare odori troppo forti.

Recommended for thinning enamels and synthetic antirust, as well as synthetic oils, flatting paint, and generic oil-based paint. High-expandable paint capacity, it ensures easier application results. The use of odourless white spirit is suitable for indoor use, where strong odours are to be avoided.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DRADK0000	Pz	0,5Lt	20	1000	
DRADK0001	Pz	1Lt	20	600	
DRADK0005	Pz	5Lt	4	144	
DRADK0025	Pz	25Lt	1	33	



Conf. Lt. 0,5 • 1 • 5 • 25 • 200 • 1000

Pz. conf. 20 x 0,5 • 20 x 1 • 4 x 5

conforme alla direttiva
2004/42/CE
(COV) 2006
in compliance with the directive
2004/42/CE
(COV) 2006

Acquaragia

white spirit

L'Acquaragia è un prodotto specifico per la diluizione di smalti e antiruggini sintetici, oleosintetici, vernici flatting e pitture ad olio in genere. Grazie a materie prime di alta qualità, la formula conferisce facilità di applicazione ed elevata dilatazione alle vernici.

White spirit is a product specific for thinning enamels and synthetic antirust, as well as synthetic oils, flatting paints, and generic oil-based paints. Thanks to its high-quality raw materials, it is easy to apply and makes the paint highly expandable.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DRANK0000	Pz	0,5Lt	20	1000	
DRANK0001	Pz	1Lt	20	600	
DRANK0005	Pz	5Lt	4	144	
DRANK0025	Pz	25Lt	1	33	



Conf. Lt. 0,5 • 1 • 5 • 25 • 200 • 1000

Pz. conf. 20 x 0,5 • 20 x 1 • 4 x 5

conforme alla direttiva
2004/42/CE
(COV) 2006
in compliance with the directive
2004/42/CE
(COV) 2006



Conf. Lt. 25 • 200 • 1000

Acetone

acetone

Prodotto estremamente volatile con ottime proprietà solventi per nitrocellulosa, poliestere, polistirolo, polimerizzati misti di PVC, resine alchidiche, grassi, oli e cere. L'Acetone può essere impiegato come sgrassante prima della verniciatura anche per il suo ottimo effetto detergente.

Extremely volatile product with great cleaning action for nitrocellulose, polyester, Styrofoam, PVC mixed polymerised, alkyd resins, fats, oils, and wax. Acetone can be utilised as a degreaser before painting, thanks to its cleansing effect.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DACTK0025	Pz	25Lt	1	33	



Conf. Lt. 1 • 5 • 25 • 200 • 1000

Pz. Conf. 20 x 1 • 4 x 5

Acetone Puro

pure acetone

Materia prima pura e incolore utilizzata per diluire vernici poliestere per legno. L'Acetone Puro è uno dei solventi maggiormente utilizzati per pulire e sgrassare attrezzi per la verniciatura quali pennelli, rulli o pistole e smacchiare tessuti in fibra naturale.

Pure raw and colourless material used for polyester wood paints thinning. Pure Acetone is one of those products mostly used for cleaning and degreasing painting equipment, such as brushes, rollers and paint guns. It is also suitable for cleaning natural fibre fabrics.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DACP自称0001	Pz	1Lt	20	600	
DACP自称0005	Pz	5Lt	4	144	
DACP自称0025	Pz	25Lt	1	33	



Conf. Lt. 25 • 200 • 1000

Diluente Poliuretanico per Ferro

polyurethane thinner for iron

Il Diluente Poliuretanico per Ferro è il prodotto adatto alla diluizione di fondi e finiture poliuretaniche applicate alle superfici metalliche. Evaporazione rapida.

This polyurethane thinner for iron is suitable for primer thinning and polyurethane finishings applied to metal surfaces. Fast evaporation.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DPOFK0025	Pz	25Lt	1	33	

Diluente Poliuretanico

polyurethane thinner

KR Additivo per diluenti utilizzato al fine di rallentare l'evaporazione in situazioni atmosferiche sfavorevoli.

K6 Formulato per ottenere un'evaporazione bilanciata e un'elevata prestazione di distensione e morbidezza delle finiture lucide e di maggior pregio.

K5 Elevatissimi standard qualitativi e massima sicurezza in questa formula del tutto priva di composti aromatici.

K4 Diluente formulato per l'utilizzo in condizioni atmosferiche e temperature particolarmente sfavorevoli.

K3 Diluente a lenta evaporazione. Conferisce massima brillantezza e ottima distensione alle vernici.

K2 Diluente a evaporazione bilanciata. Ideale per vernici a base poliuretanica di fondo o per parti interne di mobili, garantisce risultati eccellenti.

K1 Ideale per la diluizione di fondi e finiture poliuretaniche sia mono che bicomponenti nel settore della verniciatura del metallo, del mobile, degli strumenti musicali e del legno in genere.

KR Universal additive for thinners suitable for slowing down evaporation in adverse weather conditions.

K6 Designed to obtain a balanced evaporation as well as a high-quality application and smoothness of glossy and prestige finishes.

K5 Excellent quality and maximum safety product, thanks to an aromatic compound-free formula.

K4 Designed for especially adverse or hot weather conditions.

K3 Slow-evaporation thinner, which gives vibrancy and great application.

K2 Balanced-evaporation thinner, suitable for polyurethane-based paint or furniture interiors. It guarantees excellent results.

K1 Suitable for polyurethane primer and finishes thinning, both mono and bicomponents in metal, furniture, musical instruments and wood painting.



K2- K3 Conf. Lt. 1 • 5 • 25 • 200

KR- K1- K4- K5 - K6 Conf. Lt. 5 • 25 • 200

Pz. conf. 20 x 1 • 4 x 5

codice
code

I codici per i prodotti
KR – K6 – K5 – K4 – K3 – K2 e K1
sono disponibili su richiesta.

The KR – K6 – K5 – K4 – K3 – K2 and K1
product codes are available upon request.

Soluzione Alcolica 99,9%

alcoholic solution 99,9%

Soluzione alcolica incolore particolarmente adatta per l'applicazione della gommalacca. Utilizzata nel restauro di mobili antichi e di pregio. Idonea per la diluizione di vernici a base alcolica e per le operazioni di pulizia e lavaggio.

Colourless alcoholic solution, particularly suitable for applying shellac. It is used to restore antique prestige furniture. Suitable for alcohol-based paint thinning, as well as for cleaning and washing.



Conf. Lt. 1 • 5 • 25 • 200 • 1000

Pz. Conf. 20 x 1 • 4 x 5

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSOAL0001	Pz	1Lt	20	600	
DSOAL0005	Pz	5Lt	4	144	
DSOAL0025	Pz	25Lt	1	33	



conforme alla direttiva
2004/42/CE
(COV 2006)
in compliance with the directive
2004/42/CE
(COV 2006)

Conf. Lt. 25 • 200 • 1000

Diluente Spartitraffico

traffic thinner

Il Diluente Spartitraffico è una formula ideata per la diluizione di vernici impiegate nella segnaletica orizzontale di qualsiasi manto stradale. La sua caratteristica di evaporare rapidamente ne facilita la calpestabilità in tempi brevi.

This product has been designed for thinning paints used for horizontal road markings on any type of road surface. Its fast evaporating action allows foot traffic within a short time.

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DSPAK0025	Pz	25Lt	1	33	 8 024435 108430



conforme alla direttiva
2004/42/CE
(COV 2006)
in compliance with the directive
2004/42/CE
(COV 2006)

Conf. Lt. 1 • 5 • 25 • 200 • 1000

Pz. conf. 20 x 1 • 4 x 5

Diluente Clorocaucciù

chlorinated rubber thinner

Il Diluente per Clorocaucciù è un prodotto che nasce da una formula accurata, composta da materie prime preggiate e selezionate, esente da clorurati. Progettato per la diluizione di vernici al clorocaucciù, grazie alla sua evaporazione controllata conferisce brillantezza alla vernice e una buona dilatazione.

This chlorinated rubber thinner has been accurately formulated with highly selected chlorine-free raw materials. Designed for thinning chlorinated rubber paints, it ensures a good application and gloss thanks to its controlled evaporation.

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DCLOK0001	Pz	1Lt	20	600	 8 024435 108591
DCLOK0005	Pz	5Lt	4	144	 8 024435 108731
DCLOK0025	Pz	25Lt	1	33	 8 024435 108720

Blocca Ruggine

anti rust

Specifico per la protezione dei manufatti in ferro come ringhiere, cancelli, serrande, tralicci, silos. Blocca il processo ossidativo sia in superficie sia in profondità.

Può essere utilizzato come bloccaruggine o come additivo per Pitture.

This product is specific for the protection of iron artefacts such as railings, gates, shutters, pylons, silos. It blocks the oxidative process both on the surface and in profundity. It can be used as a rust inhibitor or as a paint additive.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DBRK0000	Pz	0,5Lt	20	1000	 8 024435 139724
DBRK0001	Pz	1Lt	20	600	 8 024435 139731
DBRK0005	Pz	5Lt	4	144	 8 024435 139748



Conf. Lt. 0,5 • 1 • 5

Pz. Conf. 20 x 0,5 • 20 x 1 • 4 x 5

Diluente per Serigrafia

screen printing thinner

È un diluente per il settore serigrafico composto da materie prime selezionate, con una velocità di evaporazione media. Inoltre, è utilizzato per il settore della stampa e della serigrafia, impiegato per la diluizione di inchiostri usati nelle lavorazioni che richiedono un'essiccazione medio rapida. È usato tal quale anche come solvente per la pulizia di superfici o aerografi sporchi di inchiostri o vernici non ancora essicate.

A thinner for the screen printing sector composed of selected raw materials, with an average evaporation speed. Furthermore, it is used for the printing and screen printing sector, used for the dilution of inks used in processes that require medium-fast drying. It is also used as is as a solvent for cleaning surfaces or airbrushes dirty with inks or paints that have not yet dried.

With the directive
2004/42/CE
(COV) 2006
in compliance
conforme alla direttiva
2004/42/CE
(COV) 2006



Conf. Lt. 5 • 25 • 200

Pz. conf. 1 x 25 • 4 x 5

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DNP108005	Pz	5Lt	4	144	 8 024435 100403
DNP108025	Pz	25Lt	1	33	 8 024435 107679



Conf. Lt. 5 • 25 • 200 • 1000

Pz. conf. 4 x 5

Diluente Sgrassante X-EP

degreasing thinner X-EP

Il Diluente Sgrassante X-EP viene utilizzato per superfici metalliche e vernicate. Particolamente adatto per rimuovere anche le macchie più resistenti come: oli, grassi, cere. Solvente a rapida evaporazione, non intacca i supporti e può essere utilizzato in tutti i settori dove si richiede una forte azione sgrassante.

This product is utilized as a degreaser for metal and painted surfaces. It is particularly suitable for removing even the most resistant oil, grease, wax stains. Fast evaporating action. It does not damage supports and can be used in all areas requiring a good degreasing action.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DXEPK0005	Pz	5Lt	4	144	
DXEPK0025	Pz	25Lt	1	33	



Conf. Lt. 1 • 5 • 25 • 200 • 1000

Pz. conf. 20 x 1 • 4 x 5

Diluente Epossidico

epoxy thinner

Una formula altamente selezionata esente da clorurati rende il Diluente Epossidico un prodotto perfetto per la diluizione di fondi e finiture a base epossidica sia lucide che opache. Oltre alla maggiore distensione e alla brillantezza conferisce catalisi alla vernice, grazie all'equilibrata riduzione della viscosità.

A highly selected chlorine-free product, this epoxy thinner is the perfect product for primer thinning and epoxy-based, glossy and matte finishings. Aside from an improved application and gloss, it ensures paint curing thanks to its balanced reduction of viscosity.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DEPSK0001	Pz	1Lt	20	600	
DEPSK0005	Pz	5Lt	4	144	
DEPSK0025	Pz	25Lt	1	33	

Glue Remover

glue remover

Ideale per la rimozione di adesivi e residui di colla da vetro, ceramica, legno, metalli e vari tipi di materiali plastici.

Il pH neutro garantisce sicurezza per cere e rivestimenti. Agisce in modo rapido ed efficace grazie a una miscela di solventi e tensioattivi di alta qualità.

Ideal for removing adhesives and glue residues from glass, ceramic, wood, metals and various types of plastic materials. Neutral pH ensures safety for waxes and coatings. It acts quickly and effectively thanks to a blend of high quality solvents and surfactants.

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DGLRM0000	Pz	0,5Lt	20	1000	 8 024435 139915
DGLRM0001	Pz	1Lt	20	600	 8 024435 139359
DGLRM0005	Pz	5Lt	4	144	 8 024435 139373



Conf. Lt. 0,5 • 1 • 5

Pz. Conf. 20 x 0,5 • 20 x 1 • 4 x 5

Triatex Smacchiatore

triatex stain remover

Triatex è il solvente universale ad elevato potere sgrassante per il trattamento di diversi tipi di superficie come metallo non verniciato e marmo. Altrettanto indicato come smacchiatore per le stoffe. Estremamente versatile per la diluizione degli smalti di ogni genere.

Triatex is the universal cleaner with a high degreasing action used to treat different types of surfaces, such as non-painted metal, marble, and fabric. It is extremely versatile, as it is also used for thinning every type of enamel.

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DTRXK9999	Pz	0,25Lt	20	-	 8 024435 120931
DTRXK0000	Pz	0,5Lt	20	1000	 8 024435 512153
DTRXK0001	Pz	1Lt	20	600	 8 024435 510202
DTRXK0005	Pz	5Lt	4	144	 8 024435 108782



Conf. Lt. 0,25 • 0,5 • 1 • 5

Pz. conf. 20 x 0,25 • 20 x 0,5 • 20 x 1 • 4 x 5



Conf. Lt. 0,125

Pz. conf. 12 x 0,125

Pasta Abrasiva

abrasive paste

Pasta abrasiva idrocompatibile a grana media. La formula a base di cera dona alla pasta il perfetto equilibrio tra forza mordente ed effetto lucidante. Per una resa impeccabile su ogni superficie trattata.

Medium-textured, hydrocompatible abrasive paste. Its wax-based formula makes this paste perfectly balanced between a gripping and polishing action for an optimal result on all treated surfaces.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RPAAB0000	Pz	0,125Lt	12	-	



Conf. Lt. 5

Pz. conf. 4 x 5

Crystal Clean

liquid detergent

Detergente liquido per vaschetta lavacristalli auto concentrato e pronto all'uso ad elevata azione sgrassante e detergente. Non lascia aloni, previene la formazione di calcare negli ugelli spruzzatori, svolge un'efficace azione anticongelante. Non aggredisce gomma, vernice e plastica.

Concentrated and ready-to-use liquid detergent for car wash tank with high degreasing and detergent action. It does not leave halos. Prevents the formation of limestone in the spray nozzles, performs an effective anti-freeze action. It does not attack rubber, paint and plastic.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DLLVK0005	Pz	5Lt	4	128	



Conf. Lt. 5 • 25

Pz. Conf. 4 x 5 • 1 x 25

Truck Lavamotori

engine washer

È uno shampoo super concentrato per auto e camion. Ideale per pulire olio e grasso per ferro (macchinari). Adatto anche per pavimenti in pvc.

It is a super concentrated shampoo for vehicle and trucks. Ideal for cleaning oil and grease on iron (machinery). Also suitable for PVC floors.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
MTRK00005	Pz	5Lt	4	144	
MTRK00025	Pz	25Lt	1	33	



Impregnante Protettivo per Legno all'acqua

water-based wood impregnating agent

L'Impregnante Protettivo per Legno all'Acqua protegge e decora il legno di tutti i manufatti esterni ed interni. Satinato e microporoso, asciuga rapidamente e penetra in profondità, esaltando le naturali venature del legno e valorizzando anche le tipologie meno pregiate. Non forma alcuna pellicola e non sfoglia, rendendo e mantenendo la superficie liscia. È ideale su persiane, porte e barriere.

The water-based legno impregnator protects and decorates the wood of all external and internal artifacts. Satin and microporous, it dries quickly and penetrates deeply, enhancing the natural grain of the wood, and also enhancing the less valuable types. It does not form any film and does not flake, making and keeping the surface smooth. It is ideal on shutters, doors and barriers.



codice
code

I codici prodotto sono disponibili su richiesta.

The product codes are available upon request.

NEW



Conf. Lt. 0,750 • 2,5

Pz. Conf. 12 x 0,750 • 4 x 2,5



Conf. Lt. 0,750 • 4

Pz. Conf. 12 x 0,750 • 4 x 4

Sverniciatore per Legno

wood stripper

Lo Sverniciatore per Legno di nuova generazione è ecologico e studiato per la rimozione di pitture, vernici e rivestimenti organici su supporti di diversa natura. Grazie alla sua formula in gel, è particolarmente adatto alla sverniciatura di superfici verticali. Pronto all'uso.

The new generation wood stripper is ecological and designed for the removal of paints, varnishes and organic coatings on different types of substrates. Thanks to its gel formula, it is particularly suitable for stripping vertical surfaces.

Ready to use.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSVEB0001	Pz	0,750Lt	12	600	 8 024435 111973
DSVEB0004	Pz	4Lt	4	160	 8 024435 111980



- ALL'ACQUA
- INODORE
- BIOCIDA



Conf. Lt. 1 • 5 • 25

Pz. Conf. 12 x 1 • 4 x 5 • 1 x 25

Tarlitox

anti-woodworm

Preservante del legno (micro-emulsione pronta all'uso) per il trattamento preventivo e curativo contro tarli e termiti. Utilizzabile nelle situazioni in cui l'oggetto a base di legno è protetto e non esposto a pioggia o altri agenti atmosferici. Campo di applicazione: in ambiente chiuso. Classe di utilizzo 1.

Wood preservative (ready-to-use micro-emulsion) for the preventive and curative treatment against woodworms and termites. Can be used in situations where the wood-based object is protected and not exposed to rain or other atmospheric agents. Field of application: indoors. Use class 1.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RANTI001	Pz	1Lt	12	600	8030900121002
RANTI005	Pz	5Lt	4	144	8030900450003
RANTI025	Pz	25Lt	1	33	8024435127233

Tarlo Bomb

woodworm bomb

Sviluppato per il pretrattamento del legno, Tarlo Bomb crea una barriera protettiva contro l'insorgere di tarli e termiti, inoltre combatte gli effetti aggressivi degli agenti atmosferici. Il prodotto a base solvente è particolarmente indicato per il trattamento e la protezione di mobili, porte, finestre, persiane, sottotetti, ringhiere, posti auto coperti e tutte le costruzioni in legno in genere.


Developed for pre-treating wooden surfaces, Tarlo Bomb creates a protective film against woodworms and termites. It also fights the aggressive effects of the weather. This cleaning-based product is particularly suitable for treating and protecting furniture, doors, windows, shutters, attics, railings, indoor parking lots, and all wooden constructions.



codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DTAK10001	Pz	1Lt	20	600	
DTAK10005	Pz	5Lt	4	144	

Conf. Lt 1 • 5

Pz. Conf. 20 x 1 • 4 x 5



Olio Paglierino

straw oil




Conf. Lt. 0,5 • 1

Pz. conf. 6 x 0,5 • 12 x 1

L'Olio Paglierino è la soluzione per lucidare, nutrire e rigenerare dall'interno qualsiasi manufatto in legno come mobili, infissi, serramenti e perlinature. Non filmogeno, adatto per il restauro di mobili pregiati. Penetra nelle fibre del legno ravvivandone le colorazioni e conferendo tonalità calde e piacevoli. Disponibile nelle colorazioni chiaro e rosso.

Straw oil is suitable to polish, nourish, and restore every type of indoor wood-work, such as furniture, fixtures, window frames, matchboardings.

Non-film forming, it is ideal for restoring antique furniture. It penetrates the wood fibres and revives colours. It also ensures warm and pleasant nuances to the wood. It is available in the colours light and red.



codice
code

I codici prodotto sono disponibili su richiesta.

The product codes are available upon request.

Essenza di Trementina

spirit of turpentine



Conf. Lt. 1 • 5

Pz. Conf. 12 x 1 • 4 x 5

Prodotto di origine vegetale dal profumo di pino. L'Essenza di Trementina è la parte volatile che deriva dalla distillazione di alcune resine. Un solvente organico, idrocarburo terpenico, a polarità medio-bassa, utilizzato nelle cere naturali, nella diluizione degli oli vegetali, resine, oleoresine e smalti, e per sciogliere grassi, bitumi, gomma naturale, caucciù.

Pine tree scented vegetable-based, this product is the volatile part obtained by the distillation of resins. Organic cleaner, known as terpene hydrocarbon, with a very medium-low polarity. Used for natural waxes, vegetable oil, resins, oil-based resins, and enamel thinning. It also melts fat, bitumen, natural rubber, and rubber.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RESTR0001	Pz	1Lt	12	600	
RESTR0005	Pz	5Lt	4	144	

Olio di Lino Cotto

boiled linseed oil

Olio 100% vegetale che nel tempo diventa più viscoso. L'Olio di Lino Cotto si usa come finitura per legni da interni ed esterni. Penetra nelle fibre grazie all'effetto di aria, luce e calore, completando la polimerizzazione del legno rendendolo impermeabile. La finitura dona un piacevole effetto brillante che lascia visibili le venature del legno.

100% vegetable oil, it acquires more viscosity with time. Boiled linseed oil is ideal to be used as interior and exterior wood finishing. As it penetrates the wood fibres, it finishes the polymerization process thanks to the action of air, light, and heat, making it water resistant. The finishing effect is pleasantly glossy, while leaving the grains visible.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
ROLCO0001	Pz	1Lt	12	600	
ROLCO0005	Pz	5Lt	4	144	



Conf. Lt 1 • 5

Pz. Conf. 12 x 1 • 4 x 5

Olio di Lino Crudo

raw linseed oil

100% vegetale, colore giallo chiaro. L'Olio di Lino Crudo mantiene una bassa viscosità, quindi grande capacità di penetrazione e ottima trasparenza. Viene impiegato come impregnante preparatorio sulle superfici lignee, alle quali dona una piacevole tonalità calda, e nella pittura come legante per pigmenti in polvere per la preparazione di colori ad olio.

100% light yellow vegetable oil. Raw linseed oil maintains a low viscosity. As a consequence, it has a high penetration capacity, a great transparency and clarity. It is used as a preparatory impregnating product on wooden surfaces, which take on a pleasant warm nuance. It is also used in painting, to bind dust pigments in preparation of oil-based colours.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
ROLCR0001	Pz	1Lt	12	600	
ROLCR0005	Pz	5Lt	4	144	



Conf. Lt 1 • 5

Pz. conf. 12 x 1 • 4 x 5

WATER STOP

NEW

Protettivi per superfici



Water Stop Reparator

water stop reparator

Formulato a base di oli siliconici ed etil silicati, il Water Stop Reparator è un protettivo per superfici. Incolore e non filmogeno, è ideale per proteggere calcestruzzo, intonaci a cemento e a calce, mattoni, laterizi, pietra naturale, tufo, ceramiche non smaltate, box doccia e simili da infiltrazioni, agenti atmosferici e muffa.

Formulated with silicone oils and ethyl silicates, the Water Stop Reparator is a surface protector. Colorless and non-film-forming, it is ideal for protecting concrete, cement and lime plasters, bricks, natural stone, tuff, unglazed ceramics, shower stalls and the like from infiltrations, atmospheric agents and mold.



Conf. Lt. 0,750 • 1 • 4

Pz. Conf. 12 x 0,750 • 20 x 1 • 4 x 4

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
WATSR03	Pz	0,750Lt	12	600	 8 024435 121958
WATSR01	Pz	1Lt	12	600	 8 024435 121538
WATSR02	Pz	4Lt	4	160	 8 024435 121552

Water Stop Strong

water stop strong

Il Water Stop Strong è un protettivo funzionale a rendere impermeabili superfici orizzontali con microporosità e cavillature, eliminando le infiltrazioni d'acqua senza dover ricorrere a radicali rifacimenti delle superfici calpestabili. A base di silani, silossani, resine siliconiche e di polimeri organici opportunamente catalizzati e veicolati in solventi apolari, presenta un'ottima resistenza alla luce UV.

Water Stop Strong is a functional protective to make horizontal surfaces with microporosity and cracks waterproof, eliminating water infiltrations without having to resort to radical remakes of the walkable surfaces. Based on silanes, siloxanes, silicone resins and organic polymers suitably catalyzed and conveyed in apolar solvents, it has excellent resistance to UV light.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
WATSS03	Pz	0,750Lt	12	600	 8 024435 121965
WATSS01	Pz	1Lt	12	600	 8 024435 121521
WATSS02	Pz	4Lt	4	144	 8 024435 121545



Conf. Lt. 0,750 • 1 • 4

Pz. Conf. 12 x 0,750 • 20 x 1 • 4 x 4

Kemibit - Guaina liquida bituminosa all'acqua

water-based bituminous sheath

Formulato con bitume in emulsione acquosa, il prodotto permette di impermeabilizzare coperture piane non pedonabili su superfici cementizie, muri controterra di fondazione e pozzi, balconi, terrazze, bagni, docce, coperture in fibrocemento, lamiera e simili.

Formulated with bitumen in aqueous emulsion, the product makes it possible to waterproof flat roofs that cannot be walked on, on concrete surfaces, foundation walls and wells, balconies, terraces, bathrooms, showers, fiber cement roofs, sheet metal and the like.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DKBIT0001	Pz	1Kg	18	540	 8 024435 123105
DKBIT0005	Pz	5Kg	1	100	 8 024435 123112
DKBIT0010	Pz	10Kg	1	60	 8 024435 123129
DKBIT0020	Pz	20Kg	1	33	 8 024435 123136



Conf. Kg. 1 • 5 • 10 • 20

Pz. Conf. 18 x 1

Vernice Spartitraffico

traffic paint



Conf. Kg. 5 • 30

Pz. Conf. 2 x 5

La Vernice Spartitraffico è progettata per la realizzazione della segnaletica orizzontale. Per via della sua destinazione d'uso le caratteristiche salienti sono la capacità di una rapida essiccazione e la tenace resistenza all'usura e alle abrasioni. Il prodotto è disponibile nelle colorazioni giallo, bianco e blu.

Designed for horizontal signs.

As it is employed on pavements, this product has high drying action and elevated resistance to wears and tears. Available in the colours yellow, white and blue.

bianco
whitegiallo
yellowblu
bluecodice
code

I codici prodotto sono disponibili su richiesta.

The product codes are available upon request.



NEW DISARMANTE

Disarmante per casseformi in legno

release agent for wooden formwork

Formulato con oli sintetici ed emulgatori di altissima qualità. Non contiene solventi o sostanze pericolose per la salute dei lavoratori. Facilmente dispersibile in acqua e applicabile su casseformi in legno o compensato. Non altera il colore del supporto.

Formulated with synthetic oils and high quality emulsifiers. It does not contain solvents or substances dangerous for the health of workers. Easily dispersible in water and applicable on wooden or plywood formwork. It does not alter the color of the substrate.



Conf. Lt. 25

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DDISK1025	Pz	25 Lt	1	24	 8 024435 125178

Disarmante Plus per casseformi in legno e metallo

release agent plus for wooden and metal formwork

Concentrato a base di oli biodegradabili in acqua. Riduce i rischi per la salute e l'ambiente e inibisce in modo eccellente la corrosione su metallo. Biodegradabile e facile da diluire e applicare.

Concentrate based on biodegradable oils in water. It reduces risks to health and the environment and excellently inhibits corrosion on metal. Biodegradable and easy to dilute and apply.



100%
BIODEGRA-
DABILE

codice <i>code</i>	U.M. <i>U.M.</i>	Conf. <i>Conf.</i>	Pz. Conf. <i>Pz. Conf.</i>	Pz. Pallet <i>Pz. Pallet</i>	codice a barre <i>barcode</i>
DDISK0025	Pz	25 Lt	1	24	 8 024435 125161

Conf. Lt. 25



Conf. Lt. 0,750 • 2,5 • 15

Pz. conf. 6 x 0,750 • 4 x 2,5

Antiruggine Nitro

nitro antirust

Adatto sia per gli ambienti interni che esterni l'antiruggine Nitro è di natura tixotropica, non gocciola e può essere applicato facilmente anche su superfici verticali. Ideale per manufatti in ferro nuovo e vecchio, anche arrugginito, come cancellate e recinzioni. Disponibile nelle colorazioni grigio e rosso.

For indoor and outdoor use, this antirust is thixotropic, as it does not drop and can be also easily applied to vertical surfaces. It is suitable for new, old, and even rusty iron object, such as gates and fences. It is available in grey and red.

colori / colors



codice / code

I codici prodotto sono disponibili su richiesta.
The product codes are available upon request.



Conf. Lt. 0,750 • 2,5 • 15

Pz. conf. 6 x 0,750 • 4 x 2,5

Antiruggine Sintetico

synthetic antirust

L'Antiruggine Sintetico è consigliato per lavorazioni su ogni tipo di superficie, sia verniciata che nuova, interessata dai più comuni cicli di protezione del ferro. Un prodotto ideale anche da utilizzare come fondo per le finiture di smalti sintetici. Disponibile nei colori grigio e rosso.

The synthetic antirust is recommended for every type of new or already painted surface which are affected by the common iron protection cycles. It is also suitable as a primer for synthetic enamel finishings. It is available in grey and red.

colori / colors



codice / code

I codici prodotto sono disponibili su richiesta.
The product codes are available upon request.

Gel Cleaner

gel cleaner

Sgrassante in gel specifico per tutti i tipi di supporti: metallo, legno e muri.

Gel Cleaner è un prodotto in grado di asportare con estrema semplicità e rapidità sporco ostinato di tutti i tipi, anche particolarmente invecchiati, presenti sulle superfici che si desidera trattare.

Il carattere tixotropico consente una facile applicazione anche sulle superfici verticali.

Gel degreaser specifically used for metal, wood, and wall supports. This product can easily and quickly remove any type of dirt out of any surface even if they are particularly old. Its thixotropic feature is also suitable for application onto vertical surfaces.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSMCK0001	Pz	0,750Lt	12	600	
DSMCK0004	Pz	4Lt	4	160	
LAB499017	Pz	17Lt	1	33	



Conf. Lt. 0,750 • 4 • 17

Pz. conf. 12 x 0,750 • 4 x 4

Gel Stripper

gel stripper

Gel Stripper è la soluzione ideale per la rimozione di vernici e smalti da qualsiasi tipo di supporto. Uno sverniciatore universale in gel dal carattere tixotropico, che consente grande facilità di applicazione anche sulle superfici verticali. Gel Stripper è inoltre un prodotto ecologico perché esente da cloruro di metilene.

The product is the ideal solution for paint and enamel removal from any type of surface. A universal gel stripper, its thixotropic feature is also suitable for application onto vertical surfaces. Also eco-friendly, as it is chlorine and Methylene-free.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSVEK0001	Pz	0,750Lt	12	600	
DSVEK0004	Pz	4Lt	4	160	
DSVEK0017	Pz	17Lt	1	33	



Conf. Lt. 0,750 • 4 • 17

Pz. conf. 12 x 0,750 • 4 x 4



Conf. Lt. 0,750 • 5

Pz. Conf. 12 x 0,750 • 4 x 5

Acqua Stripper

water-based stripper

A base di nuovi principi attivi che agiscono in sinergia con l'acqua, Acqua Stripper svernicia in profondità molti strati con una sola, semplice applicazione. Ideale per gli ambienti interni, permette di sverniciare senza alcuno sforzo i rivestimenti vecchi e i supporti difficili o delicati grazie alla sua azione di lunga durata.

Created with new active ingredients which act in synergy with water, this product easily strips away many layers in depth in just one application. It is ideal for internal use. Its long-lasting effect makes effortlessly stripping old coatings, and difficult or delicate supports.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSASK0750	Pz	0,750Lt	12	600	
DSASK0005	Pz	5Lt	4	160	



Conf. Lt. 5 • 25 • 200

Pz. Conf. 4 x 5

Liquid Stripper

liquid stripper

Liquid Stripper è uno sverniciatore a immersione per la rimozione di qualsiasi tipo di vernice difficilmente eliminabile attraverso l'applicazione a pennello di prodotti svernicianti. Può essere utilizzato anche per legno e plastiche, su substrati ferrosi e non ferrosi.

Liquid stripper is an immersion kind of stripper suitable for removing any type of brush-resistant hard to remove paint. It can be also used for wood and plastic surfaces, as well as on ferrous and non-ferrous substrates.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSNCK0005	Pz	5Lt	4	160	
DSNCK0030	Pz	25Lt	1	33	



Conf. Lt. 0,750 • 4

Pz. Conf. 0,750 x 12 • 4 x 4

Strong Stripper - Sverniciatore forte

strong stripper

Lo Sverniciatore Strong Stripper rimuove rapidamente pitture all'acqua e prodotti a solvente. Prodotto a base di solventi, con l'aggiunta di paraffina che ne impedisce la rapida evaporazione, agisce con un forte effetto di rimozione su qualsiasi superficie che s'intenda portare a nuovo, per poi applicare prodotti di fondo e finitura.

Strong Stripper Paint Remover quickly removes water-based paints and solvent-based products. Solvent-based product, with the addition of paraffin which prevents rapid evaporation, it acts with a strong removal effect on any surface that you intend to bring to new. Then apply base and finishing products.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DSVEB0011	Pz	0,750Lt	12	600	
DSVEB0014	Pz	4Lt	4	160	

AdBlue®

Adblue®

Agente riduttore di NOx ad elevato grado di purezza per motori Diesel dotati di catalizzatore SCR. AdBlue® è un prodotto pensato per l'ambiente in quanto scomponibile riducendo l'immissione di gas nocivi nell'aria. AdBlue è conforme ai requisiti dello standard internazionale ISO 22241-1:2006 (E).

AdBlue® is a highly pure NOx reducing agent for Diesel engines, equipped with SCR catalysts. AdBlue has been designed to be eco-friendly, as it breaks down emissions by reducing the production of harmful gases in the air. It complies with ISO 22241 - 1:2006 (E) regulations.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RADBLUE010	Pz	10Lt	1	60	



Conf. Lt. 10 • 200 • 1000

KeyFox

Key Fox

Idoneo al trattamento di superfici metalliche arrugginite, Keyfox blocca la ruggine trasformandola in un composto metallo-organico perfettamente aderente al supporto. Garantisce una protezione duratura nel tempo e migliora l'ancoraggio della vernice.

Suitable for treating rusty metal surfaces, this product blocks the formation of rust and turns it into a metallic-organic compound which perfectly adheres to the support. It ensures a long-lasting protection and improves the paint coat.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DKFOK0000	Pz	0,250Lt	20	-	
DKFOK0002	Pz	0,750Lt	12	-	



Conf. Lt. 0,250 • 0,375 • 0,750 • 5 • 25

Pz. conf. 20 x 0,250 • 12 x 0,375 • 12 x 0,750

Disoxil - Disossidante

Disoxil - anti-oxidant



Conf. Lt. 0,750 • 4

Pz. conf. 12 x 0,750 • 4 x 4

Facile da usare, elimina le tracce di ossido da superfici che presentano macchie causate da ossidi metallici. Disoxil non è acido, agisce senza corrodore o intaccare la superficie trattata. Efficace su acciaio inox, acciaio a basso contenuto di carbonio, metalli ferrosi, rame, ottone, bronzo. Funziona anche su vetroresina e plastica.

Easy to use. This product eliminates any trace of metal oxidation stains on surfaces. Non-acidic, non-corrosive, it does not damage metal or treated surfaces. It is efficient on stainless steel, low-carbon steel, on other materials such as iron, copper, and bronze. Also efficient on resin glass and plastic surfaces.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RDIDI0750	Pz	0,750Lt	12	-	 8 024435 103930
RDIDI0004	Pz	4Lt	4	-	 8 024435 103986

Acido Muriatico 32%

32% muriatic acid



Conf. Lt. 1 • Lt. 5

Pz. conf. 12 x 1 • 4 x 5

Acido minerale forte. L'acido muriatico rappresenta uno dei liquidi più corrosivi esistenti quindi deve essere sempre maneggiato con attenzione. Per le sue proprietà viene utilizzato nel trattamento di metalli, soprattutto come regolatore di pH o nel decapaggio dell'acciaio.

Strong mineral acid. As it is one of the most corrosive liquids in existence, it needs to be handled with care. Thanks to its properties, it is used for metal treatments, and mostly as a pH regulator and as steel pickling.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RACMU0001	Pz	1Lt	12	-	 8 001799 302463
RACMU0005	Pz	5Lt	4	-	 8 024435 115728

Alcool Denaturato 90°

90°denatured alcohol

L'Alcool etilico denaturato 90° è un solvente di ottima qualità particolarmente adatto per le pulizie che richiedono anche disinfezione. Pulisce, sgrassa e igienizza in modo efficace le superfici dure come vetri e cristalli. Una soluzione pratica, conveniente e sicura utilizzata in una vastissima gamma di settori industriali.

Our denatured ethyl alcohol is a high-quality product suitable for disinfecting and cleaning. It efficiently cleans, degreases, and disinfects hard, glass, crystal surfaces. Easy to use, handy and safe, it is utilized in a wide range of industrial sectors.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RAD900001	Pz	1Lt	12	-	
RAD900005	Pz	5Lt	4	-	



Conf. Lt. 1 • 5

Pz. conf. 12 x 1 • 4 x 5

Alcool Denaturato 94°

94°denatured alcohol

L'Alcool etilico denaturato 94° è un solvente purissimo particolarmente adatto per le pulizie che richiedono anche disinfezione. Pulisce, sgrassa e igienizza in modo efficace le superfici dure come vetri e cristalli. Una soluzione pratica, conveniente e sicura utilizzata in una vastissima gamma di settori industriali.

Our denatured ethyl alcohol is an extremely pure product suitable for disinfecting and cleaning. It efficiently cleans, degreases, and disinfects hard, glass, crystal surfaces. Easy to use, handy, and safe, it is utilized in a wide range of industrial sectors.

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RAD940001	Pz	1Lt	12	-	
RAD940005	Pz	5Lt	4	-	



Conf. Lt. 1 • 5

Pz. conf. 12 x 1 • 4 x 5

Petrolio Lampante

kerosene

Miscela di idrocarburi utilizzata comunemente come sgrassante per superfici. Ottimi risultati si ottengono anche impiegandolo come solvente per cere. Nella diluizione di vernici sintetiche e oleosintetiche, invece, ne esalta al massimo dilatazione e lucentezza. Grazie all'elevato potere solvente è adatto per pulire pistole, pennelli e attrezzi sporchi di vernice.

Hydrocarbon mix suitable for domestic use as surface degreaser and is a great wax remover. When used for thinning synthetic and oil-synthetic paint, it ensures the greatest expansion and gloss. Thanks to its elevated cleaning action, it can also be used to clean guns, brushes, and paint-stained tools.



Conf. Lt. 1

Pz. conf. 20 x 1

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RPELA0001	Pz	1Lt	20	600	



Conf. Lt. 5 • 10 • 25

Pz. Conf. 4 x 5

Kemifire

kerosene

Il Cherosene è una miscela di idrocarburi con intervallo di distillazione compreso tra 145 e 300 °C, che deriva dalla raffinazione del petrolio greggio. Può essere utilizzato come combustibile in ambito industriale o domestico. Il prodotto è conforme alle norme UNI-CTI 6579, alle norme doganali e al DLgs.152/06.

Kerosene is a mixture of hydrocarbons with a distillation range between 145 and 300 °C, which derives from the refining of crude oil. It can be used as a fuel in industrial or domestic environments. The product complies with UNI-CTI 6579 standards, customs regulations and Legislative Decree 152/06

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DKEFK0005	Pz	5Lt	4	128	8 024435 125154
DKEFK0010	Pz	10Lt	1	60	8 024435 125055
DKEFK0025	Pz	25Lt	1	24	8 024435 125048

Bioetanolo

bioethanol

Per stufe e camini, il bioetanolo denaturato è un prodotto di origine vegetale che non contiene zolfo e per la sua composizione chimica, produce basse emissioni di monossido di carbonio limitando i danni alla salute dell'uomo e all'ambiente. Ideale per chi desidera un sistema di riscaldamento ecosostenibile.

For heaters and fireplaces, denatured bioethanol is a vegetable-based product which does not contain sulfur. Because of his chemical component, it produces low emissions of carbon monoxide, thus limiting the damage to people's health and to the environment. It is suitable for those who prefer an eco-friendly heating system.



Conf. Lt. 1 • 5 • 10 • 25

Pz. Conf. 20 x 1 • 4 x 5

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
DBIOEK0001	Pz	1Lt	12	600	8 024435 111393
DBIOEK0005	Pz	5Lt	4	128	8 024435 111027
DBIOEK0010	Pz	10Lt	1	60	8 024435 122153
DBIOEK0025	Pz	25Lt	1	24	8 024435 111096

Acido Tamponato

buffered acid

L'Acido Tamponato è un detergente di natura acida. È ideale per rimuovere lo sporco di efflorescenze saline, di residui di posa e di incrostazioni di natura calcarea da pavimentazioni in gres, pietre resistenti agli acidi, cotto e klinker.

NON UTILIZZARE SU PIETRE CALCAREE E/O LUCIDATE.

Buffered Acid is an acidic cleanser. It is ideal for removing saline efflorescence dirt, laying residues and calcareous incrustations from stoneware floors, acid-resistant stones, terracotta and klinker. DO NOT USE ON CALCAREOUS AND/OR POLISHED STONES.



Conf. Lt. 1 • 5 • 10 • 25

Pz. Conf. 20 x 1 • 4 x 5

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
MDKP00001	Pz	1Lt	12	600	 8 024435 118811
MDKP0005	Pz	5Lt	4	128	 8 024435 121705
MDKP00010	Pz	10Lt	1	60	 8 024435 118828
MDKP00025	Pz	25Lt	1	36	 8 024435 118835

Soda Caustica in Scaglie

caustic soda in flakes

Prodotto solido, disponibile in scaglie o micropellicole. La Soda Caustica in Scaglie viene usata in soluzione acquosa a diverse concentrazioni per sgrassare, disincrostante, sverniciare e pulire a fondo. Prodotto fortemente corrosivo utilizzato principalmente nella produzione industriale.

Solid product, available in flakes or microbeads. This product is used in a water-based solution at different concentrations to degrease, descale, strip, and clean in depth. Highly corrosive product, it is mostly used in industrial production.



Conf. Kg. 1

Pz. conf. 12 x 1

codice code	U.M. U.M.	Conf. Conf.	Pz. Conf. Pz. Conf.	Pz. Pallet Pz. Pallet	codice a barre barcode
RSCSC0001	Pz	1Kg	12	-	 8 024435 103893

Linea **SPECIAL KEM**



Hobby Work

Marble Repair Treatment

Professional Care

Stucchi/Fillers

Hobby Work

Stucchi per uso generale a base di resine poliestere insature e cariche minerali, rinforzati con l'aggiunta di fibre di vetro. Sono espressamente formulati per la ricostruzione di piccole parti mancanti e riempimento di fori di carrozzeria e nautica. Possono essere ricoperti con altri stucchi o con qualsiasi tipo di prodotto di finitura.

Fillers for general use based on unsaturated polyester resins and mineral fillers, strengthened with the addition of glass fibres. They are expressly formulated for the reconstruction of small missing parts and filling holes in bodywork and boating. They can be covered with other fillers or with any type of finishing product.

Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
STUCCO METALLICO (BIANCO) <i>metallic filler (white)</i>	RSTBB0150	0,15 Lt	12	8024435133142
	RSTBB0375	0,375 Lt	12	8024435134217
	RSTBB0750	0,75 Lt	12	8024435108935
STUCCO METALLICO (GRIGIO) <i>metallic filler (grey)</i>	RSTMME0150	0,15 Lt	12	8024435132985
	RSTMME0375	0,375 Lt	12	8024435132 2
	RSTMME0750	0,75 Lt	12	8024435133005
STUCCO METALLICO (BEIGE) <i>metallic filler (beige)</i>	RSTBE0150	0,15 Lt	12	8024435340120
	RSTBE0375	0,375 Lt	12	8024435330145
	RSTBE0750	0,75 Lt	12	8024435330121
STUCCO MARMO (BIANCO) <i>marble filler (white)</i>	RSTMMA0150	0,15 Lt	12	8024435322140
	RSTMMA0375	0,375 Lt	12	8024435109055
	RSTMMA0750	0,75 Lt	12	8024435321129
	RSTMMA0001	1 Lt	12	8024435139038
STUCCO MARMO (PAGLIERINO) <i>marble filler (cream)</i>	RSTPA0150	0,15 Lt	12	8024435133012
	RSTPA0375	0,375 Lt	12	8024435133029
	RSTPA0750	0,75 Lt	12	8024435133036
STUCCO MARMO (GRIGIO)	RSTGR0001	1 Lt	12	8024435139045
STUCCO VETRIFICANTE (GRIGIO) <i>glazing filler (grey)</i>	RSTVE0150	0,15 Lt	12	8024435120128
	RSTVE0375	0,375 Lt	12	8024435121941
	RSTVE0750	0,75 Lt	12	8024435110129
STUCCO VETRIFICANTE (TRASPARENTE) <i>glazing filler (transparent)</i>	RSTVT0150	0,15 Lt	12	8024435133067
	RSTVT0375	0,375 Lt	12	8024435133050
	RSTVT0750	0,75 Lt	12	8024435133043
STUCCO VETRIFICANTE (BEIGE) <i>glazing filler (beige)</i>	RSTVB0150	0,15 Lt	12	8024435133074
	RSTVB0375	0,375 Lt	12	8024435133081
	RSTVB0750	0,75 Lt	12	8024435133098
STUCCO VETRIFICANTE (BIANCO) <i>glazing filler (white)</i>	RSTVBI0750	0,75 Lt	12	8024435138550
STUCCO NAUTICO (BIANCO) <i>nautical filler (white)</i>	RSTNA0150	0,15 Lt	12	8024435138048
	RSTNA0375	0,375 Lt	12	8024435132954
	RSTNA0750	0,75 Lt	12	8024435109147
	RSTNA0004	4 Lt	4	8024435133104
	RSTNA0019	19 Lt	1	8024435141635
STUCCO PROF. FLEX	RSTPF0019	19 Lt	1	8024435140621
STUCCO PROF. LIGHT	RSTPL0019	19 Lt	1	8024435140638





Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
STUCCO LEGNO (BIANCO) <i>wood filler (white)</i>	RSTLB0150	0,15 Lt	12	8024435133111
	RSTLB0375	0,375 Lt	12	8024435133128
	RSTLB0750	0,75 Lt	12	8024435133135
STUCCO LEGNO (CHIARO) <i>wood filler (light)</i>	RSTCL0150	0,15 Lt	12	8024435139946
	RSTCL0375	0,375 Lt	12	8024435139953
	RSTCL0750	0,75 Lt	12	8024435139960
STUCCO LEGNO (CHIARO/ SCURO) <i>wood filler (light/dark)</i>	RSTLC0150	0,15 Lt	12	8024435340335
	RSTLC0375	0,375 Lt	12	8024435134224
	RSTLC0750	0,75 Lt	12	8024435340328
STUCCO SOFT (MARRONE)	RSTST0375	0,375 Lt	12	8024435141000

Mastici/Mastics

Prodotti che, una volta induriti, si presentano secchi e ottimamente lucidabili. Possono essere colorati facilmente usando coloranti in pasta per poliestere oppure ossidi metallici.

Marble Repair Treatment

Products which, once hardened, are dry and excellently polishable. They can be easily colored using polyester paste dyes or metal oxides.



Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
MASTICE EPOSSIDICO (CREAM) parte A <i>epoxy mastic (cream) part A</i>	RMAEP0501	1 Lt	12	8024435133296
MASTICE EPOSSIDICO (CREAM) parte B <i>epoxy mastic (cream) part B</i>	RMAEP0502	1 Lt	12	8024435140584
MASTICE EPOSSIDICO (WHITE) parte A <i>epoxy mastic (white) part A</i>	RMAEP1001	1 Lt	12	8024435133289
MASTICE EPOSSIDICO (WHITE) parte B <i>epoxy mastic (white) part B</i>	RMAEP1002	1 Lt	12	8024435140591
MASTICE POLIESTERE SOLIDO (BIANCO) <i>solid polyester mastic (white)</i>	RMABS0750	0,75 Lt	12	8024435133302
	RMABS0001	1 Lt	12	8024435133319
	RMABS0004	4 Lt	4	8024435133326
	RMABS0019	19 Lt	1	8024435133333
MASTICE POLIESTERE SOLIDO (PAGLIERINO) <i>solid polyester mastic (cream)</i>	RMAPS0750	0,75 Lt	12	8024435133371
	RMAPS0001	1 Lt	12	8024435133364
	RMAPS0004	4 Lt	4	8024435133357
	RMAPS0019	19 Lt	1	8024435133340
MASTICE POLIESTERE SOLIDO (CRISTALLINO) <i>solid polyester mastic (crystal)</i>	RMACS0750	0,75 Lt	6	8024435133388
	RMACS0001	1 Lt	12	8024435133395
	RMACS0004	4 Lt	4	8024435133401
	RMACS0019	19 Lt	1	8024435133418


Ravvivante/Reviving

Indicato per ravvivare e rendere brillante il colore naturale delle pietre in maniera duratura nel tempo e allo stesso tempo dare un effetto antimacchia idro oleo-repellente alla superficie. Consigliato per uso interno per migliorare la finitura di superfici lucide, levigate, sabbiate, spazzolate, fiammate o grezze. Può essere applicato su pietre naturali, come travertino, marmo, graniti e agglomerati.

Marble Repair Treatment

Suitable for reviving and brightening the natural color of the stones in a long-lasting manner and at the same time giving a stain-proof, hydro-oil-repellent effect to the surface. Recommended for internal use to improve the finish of polished, honed, sandblasted, brushed, flamed or rough surfaces. It can be applied on natural stones, such as travertine, marble, granites and agglomerates.

Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
MASTICE POLIESTERE SOLIDO (TRASPARENTE) <i>solid polyester mastic (transparent)</i>	RMATS0750	0,75 Lt	6	8024435133425
	RMATS0001	1 Lt	12	8024435133432
	RMATS0004	4 Lt	4	8024435133449
	RMATS0019	19 Lt	1	8024435133456
MASTICE POLIESTERE SOLIDO (NERO) <i>solid polyester mastic (black)</i>	RMANS0750	0,75 Lt	12	8024435133470
	RMANS0001	1 Lt	12	8024435133487
	RMANS0004	4 Lt	4	8024435133494
	RMANS0019	19 Lt	1	8024435133463
MASTICE POLIESTERE SOLIDO (THASSOS) <i>solid polyester mastic (thassos)</i>	RMATH0750	0,75 Lt	12	8024435133500
	RMATH0001	1 Lt	12	8024435133517
	RMATH0004	4 Lt	4	8024435133524
	RMATH0019	19 Lt	1	8024435133531
MASTICE POLIESTERE SEMISOLIDO (PAGLIERINO) <i>semi-solid polyester mastic (cream)</i>	RMAPSS750	0,75 Lt	6	8024435133548
	RMAPSS001	1 Lt	12	8024435133555
	RMAPSS004	4 Lt	4	8024435133562
	RMAPSS0019	19 Lt	1	8024435133579
MASTICE POLIESTERE SEMISOLIDO (TRASPARENTE) <i>semi-solid polyester mastic (transparent)</i>	RMATSS750	0,75 Lt	6	8024435133586
	RMATSS001	1 Lt	12	8024435133593
	RMATSS004	4 Lt	4	8024435133609
	RMATSS0019	19 Lt	1	8024435133616
MASTICE POLIESTERE SEMISOLIDO (BIANCO) <i>semi-solid polyester mastic (white)</i>	RMABSS750	0,75 Lt	6	8024435133623
	RMABSS001	1 Lt	12	8024435133630
	RMABSS004	4 Lt	4	8024435133647
	RMABSS0019	19 Lt	1	8024435133654
MASTICE POLIESTERE SEMISOLIDO (NERO) <i>semi-solid polyester mastic (black)</i>	RMANSS750	0,75 Lt	6	8024435133661
	RMANSS001	1 Lt	12	8024435133678
	RMANSS004	4 Lt	4	8024435133685
	RMANSS0019	19 Lt	1	8024435133692
MASTICE POLIESTERE LIQUIDO (BIANCO) <i>liquid polyester mastic (white)</i>	RMABL0750	0,75 Lt	6	8024435133708
	RMABL0001	1 Lt	12	8024435133715
	RMABL0004	4 Lt	4	8024435133722
	RMABL0019	19 Lt	1	8024435133739



Antimacchia/Stain-proof

Trattamento antimacchia ad effetto bagnato dal potere idro-oleorepellente per ravvivare la tonalità dei marmi, travertini, pietre, graniti e agglomerati. Si consiglia di applicare il prodotto su superficie grezze, sabbiate, levigate o fiammate, spazzolate per avere un effetto bagnato più duraturo. Non viene alterato dalla luce rendendolo adatto sia per l'interno sia per l'esterno. Ha anche un buon potere anti-graffiti.

Marble Repair Treatment

Wet-effect stain-proof treatment with hydro-oil-repellent power to revive the shade of marble, travertine, stone, granite and conglomerate. It is recommended to apply the product on rough, sandblasted, smoothed or flamed, brushed surfaces to have a longer lasting wet effect. It is not altered by light making it suitable for both interiors and exteriors. It also has good anti-graffiti properties.




Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
MASTICE POLIESTERE LIQUIDO (PAGLIERINO) <i>liquid polyester mastic (cream)</i>	RMAPL0750	0,75 Lt	6	8024435133746
	RMAPL0001	1 Lt	12	8024435133753
	RMAPL0004	4 Lt	4	8024435133760
	RMAPL0019	19 Lt	1	8024435133777
MASTICE POLIESTERE LIQUIDO (TRASPARENTE) <i>liquid polyester mastic (transparent)</i>	RMATL0750	0,75 Lt	6	8024435133784
	RMATL0001	1 Lt	12	8024435133791
	RMATL0004	4 Lt	4	8024435133807
	RMATL0019	19 Lt	1	8024435133814
MASTICE POLIESTERE LIQUIDO (CRISTALLINO) <i>liquid polyester mastic (crystal)</i>	RMACL0750	0,75 Lt	6	8024435133821
	RMACL0001	1 Lt	12	8024435133838
	RMACL0004	4 Lt	4	8024435133845
	RMACL0019	19 Lt	1	8024435133852
MASTICE POLIESTERE LIQUIDO (NERO) <i>liquid polyester mastic (black)</i>	RMANL0750	0,75 Lt	6	8024435133869
	RMANL0001	1 Lt	12	8024435133876
	RMANL0004	4 Lt	4	8024435133883
	RMANL0019	19 Lt	1	8024435133890
RAVVIVANTE <i>color enhancer</i>	RTRAVVI01	1 Lt	12	8024435133937
PIETRE LUCIDE <i>polished stones</i>	RTRPILU01	1 Lt	12	8024435133944
ANTIMACCHIA <i>stain-proof</i>	RTRANMA01	1 Lt	12	8024435133920
IDROREPELLENTE <i>hydro-oil repellent</i>	RTRIOR001	1 Lt	12	8024435133906
IDROREPELLENTE EFFETO NATURALE <i>hydro-oil repellent natural effect</i>	RTRIOREN1	1 Lt	12	8024435133913

Nome prodotto	Codice	Confezione	Pz. Conf.	Codice a barre
STUCCO CARROZZERIA (BEIGE) <i>car body filler (beige)</i>	RSTCB0375	0,375 Lt	12	8024435141024
	RSTCB0750	0,75 Lt	12	8024435133159
	RSTCB0002	2 Kg	12	8024435137348
	RSTCB0004	4 Lt	4	8024435133166
STUCCO CARROZZERIA SOFT (BEIGE) <i>car body filler soft (beige)</i>	RSTCS0750	0,75 Lt	6	8024435133180
	RSTCS0002	2 Kg	12	8024435137362
	RSTCS0004	4 Lt	4	8024435133173
STUCCO CARROZZERIA PLUS (BEIGE) <i>car body filler plus (beige)</i>	RSTCP0750	0,75 Lt	6	8024435133197
	RSTCP0002	2 Kg	12	8024435137355
	RSTCP0004	4 Lt	4	8024435133203
STUCCO CARROZZERIA CREAM (BEIGE) <i>car body filler cream (beige)</i>	RSTCC0750	0,75 Lt	6	8024435133210
	RSTCC0002	2 Kg	12	8024435137379
	RSTCC0004	4 Lt	4	8024435133227
GEL COAT <i>gel coat</i>	RGELC0200	0,2 Lt	12	8024435139564
	RGELC0001	1 Lt	12	8024435133234
	RGELC0019	19 Lt	1	8024435139069
STUCCO ALLUMINIO <i>aluminum filler</i>	RSTAL0750	0,75 Lt	12	8024435109062
	RSTAL0001	1 Lt	12	8024435141017
STUCCO VINILESTERE (BIANCO) <i>vinylester filler (white)</i>	RSTVI0750	0,75 Lt	12	8024435133241
	RSTVI0004	4 Lt	4	8024435138406
RESINA POLIESTERE	RREPO0000	0,75 Lt	12	8024435128575
	RREPO0004	4 Lt	4	8024435105453
	RREPO0017	17 Lt	1	8024435105897
KIT REPARATOR <i>reparator kit</i>	RKITR0000	0,2 Lt	12	8024435105705
	RKITR0002	0,75 Lt	6	8024435610032
STUCCO EPOSSIDICO NAUTICO <i>epoxy nautical filler</i>	RSTEPN500	0,5 Lt	6	8024435138611
	RSTEPN750	0,75 Lt	12	8024435133258
STUCCO EPOSSIDICO NAUTICO parte B <i>epoxy nautical filler part B</i>	RSTEPNB500	0,5 Lt	6	8024435138628
	RSTEPNB750	0,75 Lt	12	8024435140713
RESINA EPOSSIDICA EPI 7	RSEP70001	1 Lt	12	8024435139281
RESINA EPOSSIDICA EPI R-3	RSEP30001	1 Lt	12	8024435139274
INDURENTE EPOSSIDICO EPI C-82	RIEP820500	0,5 Lt	12	8024435139298
INDURENTE EPOSSIDICO EPI 10	RIEP100500	0,5 Lt	12	8024435140478

Professional Care



Linea **SIRKEM** CHEMICAL SERVICE



Diluente Nitro Antinebbia - *anti-fog nitro thinner*

Un prodotto dalla formulazione bilanciata capace di esaltare sia la morbidezza che la brillantezza delle vernici. Idoneo per la diluizione di fondi e finiture alla nitro e nitrosintetiche. Per via del suo potere solvente il Diluente Nitro Antinebbia si rivela particolarmente adatto anche per la pulizia, il lavaggio e lo sgrassaggio di aerografi e altri attrezzi da lavoro.

This is a product with a balanced formula, which can intensify both paint smoothness and gloss. Suitable for primer thinning and for nitro and nitrosynthetic finishings. Thanks to its cleaning action, the product Nitro Thinner is also particularly suitable for cleaning, washing, and degreasing airbrushes and other work tools.

Codice	Conf.	Pz. conf.	codice a barre
DNAES0025	25 Lt	1	8024435880022
DNAES0020	20 Lt	1	8024435108157
DNAES0005	5 Lt	4	8024435880053
DNAES0001	1 Lt	20	8024435880015

Acetone - acetone

Materia prima di elevata purezza utilizzata per diluire vernici per legno. L'Acetone Puro è uno dei solventi maggiormente utilizzati per pulire e sgrassare attrezzature per la verniciatura quali pennelli, rulli o pistole e smacchiare tessuti in fibra naturale.

Pure raw material used for wood paints thinning. Acetone is one of those products mostly used for cleaning and degreasing painting equipment, such as brushes, rollers and paint guns. It is also suitable for cleaning natural fibre fabrics.

Codice	Conf.	Pz. conf.	codice a barre
DACPS0005	5 Lt	4	8024435880350
DACPS0001	1 Lt	20	8024435880312



Acquaragia - white spirit

L'Acquaragia è un prodotto specifico per la diluizione di smalti e antiruggini sintetici, oleosintetici, vernici flatting e pitture ad olio in genere. Grazie a materie prime di alta qualità, la formula conferisce facilità di applicazione ed elevata dilatazione alle vernici.

White spirit is a product specific for thinning enamels and synthetic antirust, as well as synthetic oils, flatting paints, and generic oil-based paints. Thanks to its high-quality raw materials, it is easy to apply and makes the paint highly expandable.

Codice	Conf.	Pz. conf.	codice a barre
DRANS0005	5 Lt	4	8024435880152
DRANS0001	1 Lt	20	8024435880114
DRANS0000	0,5 Lt	20	8024435880107



Diluente Sintetico - synthetic thinner

Specifico per smalti sintetici, oleosintetici, antiruggini e fondi sintetici. Un potere solvente superiore alla normale acquaragia e un'evaporazione più rapida fanno del Diluente Sintetico un prodotto particolarmente indicato anche per pulire pennelli, rulli e attrezzi dopo la verniciatura. Inoltre conferisce alla vernice la giusta distensione e maggiore luminosità.

It is specific for synthetic enamels, oil-based synthetic products, antirust, and synthetic primers. Its enhanced cleaning action compared to regular white spirits, as well as a faster evaporating action, makes this synthetic thinner also ideal for cleaning brushes, rollers, and tools. Finally, it allows the right application to the paint and makes it particularly glossy.

Codice	Conf.	Pz. conf.	codice a barre
DSINS0005	5 Lt	4	8024435880251
DSINS0001	1 Lt	20	8024435880213





Igienizzante Multiuso Fast

fast multipurpose sanitizer

Spray multiuso con il 75% vol. di alcool, auto-asciugante e pronto all'uso. Igienizza e sgrassa a fondo senza lasciare aloni. Ideale per pulire e detergere superfici, oggetti di uso quotidiano (come smartphone, lettini mare, interni auto) e indumenti, perché la formula non lascia residui chimici aggressivi e non richiede risciacquo. Disponibile anche in flaconi da litro e professionali.

Multi-purpose spray with 75% vol. alcohol, self-drying and ready to use. It thoroughly sanitises and degreases without leaving marks. Ideal for cleaning and cleansing surfaces, everyday objects (such as smartphones, beach beds, car interiors) and clothing, as the formula leaves no aggressive chemical residue and does not require rinsing. Also available in litre and professional bottles.

Codice	Conf.	Pz. conf.	codice a barre
RKISM0001	200 ml	12	8024435110457
RKISM0002	1 Lt	12	8024435110662
RKISM0003	5 Lt	4	8024435110679
RKISM0004	10 Lt	-	8024435110686

Igienizzante Concentrato Multiuso

multipurpose concentrated sanitiser

Per una completa e sicura igienizzazione di superfici e ambienti, il multiuso con Ipoclorito di Sodio è ideale per bagni, sanitari ed ogni tipo di superficie dura. Igienizza ambienti pubblici e di lavoro. Prodotto pronto all'uso: applicare direttamente sulle superfici, lasciare agire alcuni istanti e rimuovere con panno asciutto. Senza risciacquo. Non applicare su tessuti colorati.

For complete and safe sanitisation of surfaces and rooms, the multipurpose Sodium Hypochlorite is ideal for bathrooms, sanitary facilities and all types of hard surfaces. Sanitises public and work environments. Ready-to-use product: apply directly to surfaces, leave to act for a few moments and remove with a dry cloth. Without rinsing. Do not apply on coloured fabrics.



Codice	Conf.	Pz. conf.	codice a barre
RKSAN0001	1 Lt	12	8024435110167
RKSAN0005	5 Lt	4	8024435110150

Candeggina - bleach

La soluzione sia per il bucato lavato a mano che in lavatrice. Può essere usata direttamente sulle superfici da lavare oppure diluendo una parte di prodotto in acqua. Perfetta per la pulizia della cucina, ideale per i piani di lavoro, superfici smaltate, lavelli piastrelle e piani di cottura. Ottima soluzione anche per il bagno per la pulizia di sanitari, rubinetterie, piastrelle, docce.

The solution for both hand-washed and machine-washed laundry. It can be used directly on the surfaces to be washed or by diluting a portion of the product in water. Perfect for cleaning the kitchen, ideal for worktops, enamelled surfaces, tile sinks and hobs. Also excellent for the bathroom for cleaning sanitary fittings, taps, tiles, showers.



Codice	Conf.	Pz. conf.	codice a barre
RCANN0001	1 Lt	12	8024435110099
RCANN0005	5 Lt	4	8024435110105

Inidor - elimina odori biologico - biological odour eliminator

Inidor è la formula naturale, atossica e biodegradabile che annulla le molecole dell'odore e ripristina una naturale sensazione di pulito.

Il prodotto ideale per eliminare odori da tessuti, divani e coperte e dagli ambienti preferiti dagli animali domestici, cat litter e dog litter boxes.

Inidor is the natural, non-toxic and biodegradable formula that eliminates odour molecules and restores a natural feeling of cleanliness. The ideal product for eliminating odours from fabrics, sofas and blankets, as well as from pets' favourite cat litter and dog litter boxes.



Glass Clean - glass cleaner

Soluzione spray detergente igienizzante a base di Alcool Isopropilico ideale per la pulizia quotidiana dei vetri della tua casa. La formulazione igienizza rimuovendo delicatamente lo sporco senza lasciare residui grazie alla rapida evaporazione. In due pratici formati, Glass Clean svolge un'efficace azione detergente.

Spray cleaning solution based on Isopropyl Alcohol, ideal for daily cleaning of the windows in your home. The formulation sanitises by gently removing dirt without leaving residue thanks to rapid evaporation. In two handy formats, Glass Clean has an effective cleaning action.

Codice	Conf.	Pz. conf.	codice a barre
DGCK0001	1 Lt	12	8024435137560
DGCK0005	5 Lt	4	8024435137577



NOTHING YOU CAN'T FIX



RITOCCHI CARROZZERIA
Bodywork touch-ups



SPRAY TECNICI
Technical sprays



SMALTI UNIVERSALI E SPECIALI
Universal and special enamels



TUNING
Tuning



SOTTOSCOCCA
Underbody

Il marchio MOTIP offre una soluzione completa con un assortimento che comprende spray tecnici, stucchi, protettivi per carrozzeria, additivi e prodotti per la cura di automobili, scooter, moto e biciclette. MOTIP è stata fondata quasi 60 anni fa e da allora produce spray di alta qualità e soluzioni per la riparazione e verniciatura di auto. Nel corso degli anni sono stati sviluppati altri segmenti che hanno ampliato la gamma delle soluzioni, come l'assortimento di spray tecnici e gli spray per la manutenzione della bicicletta.

MOTIP vuole aumentare i campi delle applicazioni dei propri prodotti offrendo sempre nuove ed innovative soluzioni.

MOTIP è uno dei marchi di punta del Gruppo European Aerosols, leader nelle soluzioni spray e stilo ritocco per vernici e spray tecnici e opera principalmente nei settori Automotive, Industria e FAI-DA-TE.

The MOTIP brand offers a complete solution with an assortment that includes technical sprays, fillers, bodywork protection, additives and care products for cars, scooters, motorbikes and bicycles.

MOTIP was founded almost 60 years ago and has been producing high-quality sprays and solutions for car repair and painting ever since. Over the years, other segments have been developed that have expanded the range of solutions, such as the assortment of technical sprays and bicycle care sprays.

MOTIP wants to increase the fields of application of its products by always offering new and innovative solutions. MOTIP is one of the flagship brands of the European Aerosols Group, a leader in paint sprays and technical sprays and operates mainly in the Automotive, Industry and DIY-TE sectors.

Materie prime

raw material

Cicloesano	Glicole Propilenico	Solvente Nafta
		denaturato
Cloruro di Metilene	Xilolo	Stirolo Monomero
	denaturato	
Diacetone Alcol		
D.b.e.	Alcol Isopropilico	Toluolo
	denaturato	denaturato
Dimetil Carbonato	Acetato Isobutile	Keroflex 97/3
1,3 - Diossalano	Mek Metil Etil Chetone	Keroflex 75/20/5
E.p.a.	Metylal	Keroflex 85/15
Etossipropanolo	Mibk Metil Isobutil Chetone	Keroflex 80/20
Eptano denaturato	Percloroetilene	Keroflex 70/30
Alcol Etilico denaturato	P.m. Metossi Propanolo	Keroflex 90/10
	P.m.a. Metossi Propil Acetato	
Glicole Etilenico	Ragia Minerale	
	denaturata	


Private label

La flessibilità degli impianti **Kemipol** consente produzioni e formulazioni personalizzate e produzione per conto terzi. La corretta gestione di ogni complessità è garantita da laboratori all'avanguardia e dall'elevata professionalità degli operatori.

Una scelta definita dalla continua ricerca dell'ottimizzazione dei rapporti con altri brand di categorie complementari.

The flexibility of Kemipol plants allows custom-made design and production, as well as production for third parties. The proper management of each complexity is ensured by cutting-edge laboratories and high qualifications of the workers.

This is a choice defined by the constant research of improving relations with other brands of complementary sectors.





 **KEMIPOL®**

Kemipol S.r.l.
Via Cola di Rienzo, 28
00192 Roma
Sede operativa
Via del Commercio, snc
64025 Pineto (TE) Italy
T (+39) 085 9461228
info@kemipol.it
www.kemipol.it

Azienda certificata

